

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	NTRU AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 08:22
L2	17	polynomial AND public key AND NTRU AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 08:26
S1	471	shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:19
S2	234	(shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement) AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:19
S10	234	shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:21
S11	338	shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:22
S12	37	shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:22
S13	29	shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:43

EAST Search History

S14	225	shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:42
S20	3	us-20020116612-a1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:48
S21	4	"9808323"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:49
S22	225	NTRU AND shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:42
S23	29	NTRU AND shared\$1key recovery AND shared\$1key generation AND key exchange OR key agreement AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:43
S24	2	"60/024133"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/03 09:21
S25	4	output\$3 AND obtain\$3 AND receiv\$3 AND (transmission OR transmit\$4) AND (determin\$5 OR judg\$3) AND decrypt\$5 AND encrypt\$5 AND bit\$1wise AND shared\$1key AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/03 10:22
S26	57	shared key AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/03 10:28

EAST Search History

S27	23	matsumoto.inv. AND "380".clas.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/03 14:03
S28	577	380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:37
S29	0	(verification OR verify OR verified OR verifying) AND encryption AND shared\$1key AND seed AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 13:54
S30	4	(verification OR verify OR verified OR verifying) AND encryption AND shared key AND seed AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 13:54
S31	20	(verification OR verify OR verified OR verifying) AND encryption AND secret AND shared AND key AND seed AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 13:54
S32	27	(verification OR verify OR verified OR verifying) AND encryption AND secret AND shared AND key AND seed AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 13:59
S33	33	(verification OR verify OR verified OR verifying) AND encryption AND secret AND shared AND key AND seed AND 380/44.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 13:55
S34	6	(verification OR verify OR verified OR verifying) AND encryption AND secret AND shared key AND seed AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:01
S35	773	(verification OR verify OR verified OR verifying) AND encryption AND secret AND shared AND key AND seed AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:00

EAST Search History

S36	246	(verification OR verify OR verified OR verifying) AND encryption AND secret AND shared AND key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:00
S39	60	(verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND secret AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:06
S40	6	(verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND secret AND shared key AND seed AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:02
S41	38	recovery AND (verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND secret AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:06
S42	41	(recovery OR retrieval) AND (verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND secret AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 10:56
S45	6	key ADJ (recovery OR retrieval) AND (hash OR signature OR certification OR certificate OR fingerprint OR verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND secret AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 16:49

EAST Search History

S46	2	"5796830".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 17:01
S47	0	diffie-hellman problem AND (recovery OR retrieval) AND (verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND secret AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 10:33
S48	30	diffie-hellman AND (recovery OR retrieval) AND (verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND secret AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 10:55
S49	0	"PSEC-KEM" AND diffie-hellman AND (recovery) secret AND shared AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 10:34
S50	0	"PSEC-KEM" AND diffie-hellman problem AND recovery secret AND shared AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 10:34
S51	30	diffie-hellman AND (recovery OR retrieval) AND (verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:15

EAST Search History

S52	42	(recovery OR retrieval) AND (verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:15
S53	20	(encrypt WITH seed) AND diffie-hellman AND (recovery OR retrieval) AND (verification OR verify OR verified OR verifying) AND (encryption OR encrypt OR encrypted OR encrypting OR cryptography OR cryptographic OR cryptology) AND shared key AND seed AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:20
S54	3	(decryption OR decrypt OR decrypting OR decrypted) AND (encrypt OR encryption OR encrypted OR encrypting) AND (receive OR received OR receiving OR reception) AND (transmit OR transmitted OR transmitting OR send OR sent OR sending) AND value AND (hash OR signature OR certification OR certificate OR fingerprint OR verification OR verify OR verified OR verifying) AND shared key AND seed AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:26
S55	0	public key AND shared key AND diffie-hellman AND key encapsulation AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:28
S56	0	public key AND shared key AND diffie hellman AND key encapsulation AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:28
S57	0	public key AND shared key AND diffie hellman AND key encapsulation AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:29
S58	0	public key AND shared key AND key encapsulation AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:29

EAST Search History

S59	0	key encapsulation AND 380/44.ccls. AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:38
S60	3	key encapsulation AND ("713".clas. OR "726".clas. "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/29 11:38
S61	38474	("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 13:24
S62	28	shared\$1key AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 13:34
S63	431	(shared\$1key OR shared key) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 13:34
S64	61	verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 13:34
S65	126	verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 13:38
S66	120	decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 13:39
S67	92	recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 13:40

EAST Search History

S68	424	recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 15:00
S69	377	(hash OR CRC OR checksum OR MD5) AND recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 15:02
S70	378	(hash OR CRC OR checksum OR MD5) AND recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key OR NTRU) AND ("713".clas. OR "726".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 15:17
S71	27	(hash OR CRC OR checksum OR MD5) AND recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key OR NTRU) AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 15:32
S72	0	key encapsulation AND (hash OR CRC OR checksum OR MD5) AND recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key OR NTRU) AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 15:35
S73	0	key encapsulation AND (shared\$1key OR shared key OR public key OR NTRU) AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 15:35
S74	10	encapsulation AND (shared\$1key OR shared key OR public key OR NTRU) AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 15:35

EAST Search History

S75	2	"5937066".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/17 16:13
S76	176	(hash OR CRC OR checksum OR MD5 OR one\$1way function) AND recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key OR NTRU) AND ("380".clas.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 07:54
S77	28	(hash OR CRC OR checksum OR MD5 OR one\$1way function) AND recover\$3 AND decrypt\$3 AND verif\$7 AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key OR NTRU) AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 09:43
S78	2	"6396929".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 09:47
S79	33	(hash OR CRC OR checksum OR MD5 OR one\$1way function) AND recover\$3 AND decrypt\$3 AND (verif\$7 OR certif\$7) AND encrypt\$3 AND seed AND (shared\$1key OR shared key OR public key OR NTRU) AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 13:08
S80	4	"5907618".pn. OR "5937066".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 09:38
S81	1	EP-1475920-A\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 17:14

EAST Search History

S82	1	functional value AND (380/44,268.ccls.) AND (@pd<"20011203" or @ad<"20011203" or @prad<"20011203" or @rlad<"20011203")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 17:18
-----	---	---	--	-----	----	------------------